



Final Health Monitoring Report

Yolanda Miralles
Universidad Miguel Hernandez
Servicio ExperimentacionAnimal
Edificio Animalario
Avda. de la cadena S/N
San Joan
Alicante, 03550

Order Number

Not supplied

Report Reference

12-5767

Samples Received

February 01, 2012

Report Date

February 14, 2012

Quantity	Sample Details	Species	Profile	Sample Type
1	ELX2Nadal - ICR	Mouse	67M (52M+MNV)	Live Animal
1	ELX3Ferrer - ICR	Mouse	67M (52M+MNV)	Live Animal
1	ELX3Roche - ICR	Mouse	67M (52M+MNV)	Live Animal
1	ELX5sea - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC1 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC10 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC2 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC3 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC5 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC6 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC7 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC8 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRRC9 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJRAT - WISTAR	Rat	39R	Live Animal

ELX2Nadal - 67M

Sample positive for *Mouse Norovirus*

Sample positive for *Entamoeba sp*

ELX3Ferrer - 67M

Sample negative for the agents tested

ELX3Roche - 67M

Sample positive for *Mouse Norovirus*

Sample positive for *Trichomonas sp*

ELX5sea - 67M

Sample negative for the agents tested

SJRRC1 - 67M

Sample negative for the agents tested

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

SJRRC10 - 67M

Sample negative for the agents tested

SJRRC2 - 67M

Sample negative for the agents tested

SJRRC3 - 67M

Sample positive for *Mouse Norovirus*

Sample positive for *Helicobacter rodentium*

Sample positive for *Tritrichomonas sp*

SJRRC5 - 67M

Sample positive for *Mouse Norovirus*

Sample positive for *Tritrichomonas sp*

SJRRC6 - 67M

Sample negative for the agents tested

SJRRC7 - 67M

Sample positive for *Mouse Norovirus*

Sample positive for *Helicobacter rodentium*

Sample positive for *Syphacia obvelata*

Sample positive for *Tritrichomonas sp*

SJRRC8 - 67M

Sample positive for *Mouse Norovirus*

Sample positive for *Entamoeba sp*

Sample positive for *Tritrichomonas sp*

SJRRC9 - 67M

Sample positive for *Mouse hepatitis virus*

Sample positive for *Mouse Norovirus*

Sample positive for *Tritrichomonas sp*

SJRAT - 39R

Sample positive for *Pasteurella pneumotropica*

Sample positive for *Syphacia obvelata*

Sample positive for *Tritrichomonas sp*

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	ELX2Nadal	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	1/1	Microscopy
<i>Entamoeba sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	ELX3Ferrer	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	ELX3Roche	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	1/1	Microscopy
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	ELX5sea	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC1	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC10	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC2	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC3	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	1/1	PCR
<i>Helicobacter rodentium</i>	1/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	1/1	Microscopy
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC5	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	1/1	Microscopy
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC6	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC7	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
Helicobacter spp	1/1	PCR
<i>Helicobacter rodentium</i>	1/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	1/1	Microscopy
<i>Syphacia obvelata</i>	1/1	Microscopy
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC8	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	1/1	Microscopy
<i>Entamoeba sp</i>	1/1	Microscopy
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Mouse	Universidad Miguel Hernandez	SJRRC9	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	1/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	1/1	Microscopy
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 February 12	Rat	Universidad Miguel Hernandez	SJRAT	39R
Viruses		Positive/Tested	Test Method	
Hantavirus		0/1	ELISA	
Kilham rat virus		0/1	ELISA	
Mouse adenovirus type 1 (MAd FL)		0/1	ELISA	
Mouse adenovirus type 2 (MAd K87)		0/1	ELISA	
Pneumonia virus of mice		0/1	ELISA	
Rat parvovirus		0/1	ELISA	
Reovirus type 3		0/1	ELISA	
Sendai virus		0/1	ELISA	
Sialodacryoadenitis virus		0/1	ELISA	
Toolan's H-1		0/1	ELISA	
Bacteria, Mycoplasma and Fungi		Positive/Tested	Test Method	
<i>Bordetella bronchiseptica</i>		0/1	Culture	
<i>Clostridium piliforme</i>		0/1	ELISA	
<i>Corynebacterium kutscheri</i>		0/1	Culture	
<i>Helicobacter spp</i>		0/1	PCR	
<i>Mycoplasma spp</i>		0/1	ELISA	
<i>Pasteurella spp</i>		1/1	Culture	
<i>Pasteurella pneumotropica</i>		1/1	Culture	
<i>Salmonella sp</i>		0/1	Culture	
<i>Streptobacillus moniliformis</i>		0/1	Culture	
Streptococci Beta-haemolytic (not group D)		0/1	Culture	
<i>Streptococcus pneumoniae</i>		0/1	Culture	
Parasites		Positive/Tested	Test Method	
Ectoparasites		0/1	Microscopy	
Endoparasites		1/1	Microscopy	
<i>Syphacia obvelata</i>		1/1	Microscopy	
<i>Tritrichomonas sp</i>		1/1	Microscopy	
Pathological Lesions		Positive/Tested	Test Method	
External		0/1	Pathology	
Necropsy		0/1	Pathology	

Report Reference: 12-5767

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 225107, Fax: +44 (0)1530 222807, TechServ@harlan.com