

**HEALTH MONITORING IN ACCORDANCE WITH FELASA
RECOMENDATIONS**

Species : Mouse				
Housing: Barrier				
Date of issue: 10.04.2013				
Laboratory: Surrey Diagnostics 4/10/2013; 9/4/2013; 15/11/2012; 21/6/2012; 2/1/2012; 27/9/2011; 7/7/2011; 22/3/2011;				
Etyca 30/11/2010; Harlan 28/5/2010				
	METHOD	LATEST TEST DATE	RESULTS	HISTORICAL RESULTS
Viruses				
Mouse rotavirus	MFIA	4/10/2013	0/33	0/355
Mouse hepatitis virus	MFIA	4/10/2013	0/33	0/355
Mouse parvovirus	MFIA	4/10/2013	0/33	0/355
Minute virus of mice virus	MFIA	4/10/2013	0/33	0/355
Pneumonia virus of mice	MFIA	4/10/2013	0/33	0/355
Sendai virus	MFIA	4/10/2013	0/33	0/355
Theiler's encephalomyelitis virus	MFIA	4/10/2013	0/33	0/355
Ectromelia virus .	ELISA	9/04/2013	0/32	0/140
Lymphocitic choriomeningitis virus.	ELISA	9/04/2013	0/32	0/140
Mouse adenovirus type 1 (FL) .	ELISA	9/04/2013	0/32	0/140
Mouse adenovirus type 2 (K87).	ELISA	9/04/2013	0/32	0/140
Mouse cytomegalovirus .	ELISA	9/04/2013	0/32	0/140
Reovirus type 3.	MFIA	4/10/2013	0/33	0/323
Microbiology				
<i>Citrobacter rodentium</i>	Cult +BQ	4/10/2013	0/33	0/349
<i>Corynebacterium kutscheri</i>	Cult +BQ	4/10/2013	0/33	0/349
<i>Clostridium piliforme</i>	MFIA	4/10/2013	0/33	0/349
<i>Mycoplasma pulmonis/arthritis</i>	MFIA	4/10/2013	0/33	0/310
<i>Salmonella spp</i>	Cult +BQ	4/10/2013	0/33	0/295
<i>Pastereulla spp</i>	Cult +BQ	4/10/2013	0/33	2/349*
<i>Streptobacillus moniliforme.</i>	Cult +BQ	4/10/2013	0/33	0/309
<i>Streptococcus beta haemoliticus</i>	Cult +BQ	4/10/2013	0/33	0/330
<i>Streptococcus pneumoniae</i>	Cult +BQ	4/10/2013	0/33	0/330
<i>Helicobacter spp.</i>	PCR	9/04/2013	0/33	0/123
Parásites				
<i>Ectoparásitos</i>	Micr.Exam	4/10/2013	0/33	0/333
<i>Protozoos</i>	Micr.Exam	4/10/2013	0/33	6/333**
<i>Helmintos</i>	Micr Exam	4/10/2013	0/33	0/333

*Room C10 in November 2010. Mice were isolated and treated with enrofloxacin in the drinking water at 25,5 mg/kg for 14 days (Goelz et.al.,1996). After that, all the following reports (8) were negative for that agent.



S.E.A.-Ratones Modificados Genéticamente

VICERRECTORADO DE INVESTIGACIÓN Y DESARROLLO TECNOLÓGICO

Ctra Alicante-Valencia s/n
03550 San Juan de Alicante
Teléf: 96-591-93-71

c.electrónico: animalariomg@umh.es

S.E.A. - R.M.G.
Vicerrectorado de Investigación y Desarrollo Tecnológico.

	METHOD	LATEST TEST DATE	RESULTS	HISTORICAL RESULTS
ADDITIONAL ORGANISMS TESTED				
<i>Bordetella bronchiseptica</i>	ELISA	4/10/2013	0/33	0/260
<i>Klebsiella spp</i>	ELISA	4/10/2013	0/33	1/236
<i>Pseudomona auruginosa</i>	ELISA	4/10/2013	7/33*	24/260
<i>Staphylococcus aureus</i>	ELISA	4/10/2013	0/33	3/260
Mouse norovirus	ELISA	4/10/2013	18/33*	47/290
Yersinia species	ELISA	4/10/2013	0/33	0/225

* Several rooms

María Jesús Molina Cimadevila DVM
Veterinaria Col. 851



S.E.A.-Ratones Modificados Genéticamente
VICERRECTORADO DE INVESTIGACIÓN Y DESARROLLO TECNOLÓGICO

Crta Alicante-Valencia s/n
03550 San Juan de Alicante
Teléf: 96-591-93-71
c.electrónico: animalariomg@umh.es