



Final Health Monitoring Report

Yolanda Miralles
Universidad Miguel Hernandez
Servicio ExperimentacionAnimal
Edificio Animalario
Avda. de la cadena S/N
San Joan
Alicante, 03550

Order Number

Not supplied

Report Reference

11-1736

Samples Received

June 22, 2011

Report Date

July 06, 2011

Quantity	Sample Details	Species	Profile	Sample Type
1	SJC - GUINEA PIG	Guinea Pig	19G	Live Animal
2	ELX1-ELX2 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	ELX3 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	ELX4 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJ1 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJ2 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJ3 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJ4 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJ5 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJ6 - ICR	Mouse	67M (52M+MNV)	Live Animal
2	SJ7-SJ8 - ICR	Mouse	67M (52M+MNV)	Live Animal
2	SJ9-SJ10 - ICR	Mouse	67M (52M+MNV)	Live Animal
1	SJR - WISTAR	Rat	39R	Live Animal

SJC - 19G

Sample borderline for Guinea Pig Adenovirus (retesting recommended) and positive for *Tritrichomonas sp*

ELX1-ELX2 - 67M

1/2 positive for *Mouse Norovirus*

1/2 positive for *Entamoeba sp*

ELX3 - 67M

Sample positive for *Mouse Norovirus*

Sample positive for *Tritrichomonas sp*

ELX4 - 67M

Sample negative for the agents tested

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Final Health Monitoring Report

SJ1 - 67M

Sample positive for *Mouse Norovirus*
Sample positive for *Entamoeba sp*
Sample positive for *Tritrichomonas sp*

SJ2 - 67M

Sample negative for the agents tested

SJ3 - 67M

Sample positive for *Mouse Norovirus*
Sample positive for *Entamoeba sp*
Sample positive for *Tritrichomonas sp*

SJ4 - 67M

Sample positive for *Mouse Norovirus*
Sample positive for *Syphacia obvelata*

SJ5 - 67M

Sample positive for *Mouse Norovirus*
Sample positive for *Tritrichomonas sp*

SJ6 - 67M

Sample positive for *Mouse Norovirus*

SJ7-SJ8 - 67M

1/2 positive for *Mouse Norovirus*
2/2 positive for *Entamoeba sp*
2/2 positive for *Tritrichomonas sp*

SJ9-SJ10 - 67M

1/2 positive for *Mouse Norovirus*
1/2 positive for *Entamoeba sp*

SJR - 39R

Sample positive for *Tritrichomonas sp*

Found unidentified young worms in animal from area SJR.

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Guinea Pig	Universidad Miguel Hernandez	SJC	19G

Viruses	Positive/Tested	Test Method
Guinea Pig Adenovirus		
Guinea pig cytomegalovirus	0/1	IFA
Sendai virus	0/1	ELISA
Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Bordetella bronchiseptica</i>	0/1	Culture
<i>Chlamydia psittaci</i>	0/1	IFA
<i>Clostridium piliforme</i>	0/1	ELISA
<i>Corynebacterium kutscheri</i>	0/1	Culture
Dermatophytes	0/1	Culture
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture
<i>Yersinia pseudotuberculosis</i>	0/1	Culture
Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
<i>Encephalitozoon cuniculi</i>	0/1	ELISA
Endoparasites		
<i>Tritrichomonas sp</i>	1/1	Microscopy
Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.
Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	ELX1-ELX2	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/2	Bead
Lymphocytic choriomeningitis virus	0/2	Bead
Minute virus of mice	0/2	Bead
Mouse adenovirus type 1 (MAd FL)	0/2	Bead
Mouse adenovirus type 2 (MAd K87)	0/2	Bead
Mouse cytomegalovirus	0/2	Bead
Mouse hepatitis virus	0/2	Bead
Mouse Norovirus	1/2	Bead
Mouse parvovirus	0/2	Bead
Mouse rotavirus (EDIM)	0/2	Bead
Pneumonia virus of mice	0/2	Bead
Reovirus type 3 (Reo 3)	0/2	Bead
Sendai virus	0/2	Bead
Theiler's murine encephalomyelitis virus	0/2	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/2	Culture
<i>Clostridium piliforme</i>	0/2	Bead
<i>Corynebacterium kutscheri</i>	0/2	Culture
<i>Helicobacter spp</i>	0/2	PCR
<i>Mycoplasma spp</i>	0/2	Bead
<i>Pasteurella spp</i>	0/2	Culture
<i>Salmonella sp</i>	0/2	Culture
<i>Streptobacillus moniliformis</i>	0/2	Culture
Streptococci Beta-haemolytic (not group D)	0/2	Culture
<i>Streptococcus pneumoniae</i>	0/2	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/2	Microscopy
Endoparasites		
<i>Entamoeba sp</i>	1/2	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/2	Pathology
Necropsy	0/2	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	ELX3	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites		
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	ELX4	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	SJ1	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites		
<i>Entamoeba sp</i>	1/1	Microscopy
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.
Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.
Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	SJ2	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	0/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	SJ3	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites		
<i>Entamoeba sp</i>	1/1	Microscopy
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	SJ4	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites		
<i>Syphacia obvelata</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager. Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	SJ5	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites		
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager. Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	SJ6	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/1	Bead
Lymphocytic choriomeningitis virus	0/1	Bead
Minute virus of mice	0/1	Bead
Mouse adenovirus type 1 (MAd FL)	0/1	Bead
Mouse adenovirus type 2 (MAd K87)	0/1	Bead
Mouse cytomegalovirus	0/1	Bead
Mouse hepatitis virus	0/1	Bead
Mouse Norovirus	1/1	Bead
Mouse parvovirus	0/1	Bead
Mouse rotavirus (EDIM)	0/1	Bead
Pneumonia virus of mice	0/1	Bead
Reovirus type 3 (Reo 3)	0/1	Bead
Sendai virus	0/1	Bead
Theiler's murine encephalomyelitis virus	0/1	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	Bead
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	Bead
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites	0/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	SJ7-SJ8	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/2	Bead
Lymphocytic choriomeningitis virus	0/2	Bead
Minute virus of mice	0/2	Bead
Mouse adenovirus type 1 (MAd FL)	0/2	Bead
Mouse adenovirus type 2 (MAd K87)	0/2	Bead
Mouse cytomegalovirus	0/2	Bead
Mouse hepatitis virus	0/2	Bead
Mouse Norovirus	1/2	Bead
Mouse parvovirus	0/2	Bead
Mouse rotavirus (EDIM)	0/2	Bead
Pneumonia virus of mice	0/2	Bead
Reovirus type 3 (Reo 3)	0/2	Bead
Sendai virus	0/2	Bead
Theiler's murine encephalomyelitis virus	0/2	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/2	Culture
<i>Clostridium piliforme</i>	0/2	Bead
<i>Corynebacterium kutscheri</i>	0/2	Culture
<i>Helicobacter spp</i>	0/2	PCR
<i>Mycoplasma spp</i>	0/2	Bead
<i>Pasteurella spp</i>	0/2	Culture
<i>Salmonella sp</i>	0/2	Culture
<i>Streptobacillus moniliformis</i>	0/2	Culture
Streptococci Beta-haemolytic (not group D)	0/2	Culture
<i>Streptococcus pneumoniae</i>	0/2	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/2	Microscopy
Endoparasites		
<i>Entamoeba sp</i>	2/2	Microscopy
<i>Tritrichomonas sp</i>	2/2	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/2	Pathology
Necropsy	0/2	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Mouse	Universidad Miguel Hernandez	SJ9-SJ10	67M (52M+MNV)

Viruses	Positive/Tested	Test Method
Ectromelia virus	0/2	Bead
Lymphocytic choriomeningitis virus	0/2	Bead
Minute virus of mice	0/2	Bead
Mouse adenovirus type 1 (MAd FL)	0/2	Bead
Mouse adenovirus type 2 (MAd K87)	0/2	Bead
Mouse cytomegalovirus	0/2	Bead
Mouse hepatitis virus	0/2	Bead
Mouse Norovirus	1/2	Bead
Mouse parvovirus	0/2	Bead
Mouse rotavirus (EDIM)	0/2	Bead
Pneumonia virus of mice	0/2	Bead
Reovirus type 3 (Reo 3)	0/2	Bead
Sendai virus	0/2	Bead
Theiler's murine encephalomyelitis virus	0/2	Bead

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Citrobacter rodentium</i>	0/2	Culture
<i>Clostridium piliforme</i>	0/2	Bead
<i>Corynebacterium kutscheri</i>	0/2	Culture
<i>Helicobacter spp</i>	0/2	PCR
<i>Mycoplasma spp</i>	0/2	Bead
<i>Pasteurella spp</i>	0/2	Culture
<i>Salmonella sp</i>	0/2	Culture
<i>Streptobacillus moniliformis</i>	0/2	Culture
Streptococci Beta-haemolytic (not group D)	0/2	Culture
<i>Streptococcus pneumoniae</i>	0/2	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/2	Microscopy
Endoparasites		
<i>Entamoeba sp</i>	1/2	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/2	Pathology
Necropsy	0/2	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com



Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
22 June 11	Rat	Universidad Miguel Hernandez	SJR	39R

Viruses	Positive/Tested	Test Method
Hantavirus	0/1	ELISA
Kilham rat virus	0/1	ELISA
Mouse adenovirus type 1 (MAd FL)	0/1	ELISA
Mouse adenovirus type 2 (MAd K87)	0/1	ELISA
Pneumonia virus of mice	0/1	ELISA
Rat parvovirus	0/1	ELISA
Reovirus type 3	0/1	ELISA
Sendai virus	0/1	ELISA
Sialodacryoadenitis virus	0/1	ELISA
Toolan's H-1	0/1	ELISA

Bacteria, Mycoplasma and Fungi	Positive/Tested	Test Method
<i>Bordetella bronchiseptica</i>	0/1	Culture
<i>Clostridium piliforme</i>	0/1	ELISA
<i>Corynebacterium kutscheri</i>	0/1	Culture
<i>Helicobacter spp</i>	0/1	PCR
<i>Mycoplasma spp</i>	0/1	ELISA
<i>Pasteurella spp</i>	0/1	Culture
<i>Salmonella sp</i>	0/1	Culture
<i>Streptobacillus moniliformis</i>	0/1	Culture
Streptococci Beta-haemolytic (not group D)	0/1	Culture
<i>Streptococcus pneumoniae</i>	0/1	Culture

Parasites	Positive/Tested	Test Method
Ectoparasites	0/1	Microscopy
Endoparasites		
<i>Tritrichomonas sp</i>	1/1	Microscopy

Pathological Lesions	Positive/Tested	Test Method
External	0/1	Pathology
Necropsy	0/1	Pathology

Report Reference: 11-1736

All testing is performed by Harlan Laboratories using standard operating procedures. Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager. Harlan Laboratories, Inc. Phone: +44 (0)1530 222794, Fax: +44 (0)1530 222807, TechServ@harlan.com